

Safety Data Sheet

Chlorodifluoromethane, R22

MSDS Nr : 300-00-0046BOC(U) Version : 1.01 Date : 12/04/2001

BOC, Priestley Road, Worsley, Manchester M28 2UT 0800 02 0800

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

Product name Chlorodifluoromethane, R22
Chemical formula CHClF₂
Company identification see heading and/or footer
Emergency phone numbers see heading and/or footer

2 COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation Substance.
Components/Impurities Contains no other components or impurities which will influence the classification of the product.
CAS Nr 00075-45-6
EEC Nr (from EINECS) 200-871-9

3 HAZARDS IDENTIFICATION

Hazards identification Liquefied gas
In high concentrations may cause asphyxiation.

4 FIRST AID MEASURES

Inhalation In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation.
In low concentrations may cause narcotic effects. Symptoms may include dizziness, headache, nausea and loss of co-ordination.
Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor.
Apply artificial respiration if breathing stopped.
Skin/eye contact Immediately flush eyes thoroughly with water for at least 15 minutes.
In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing.
Obtain medical assistance
Ingestion Ingestion is not considered a potential route of exposure.

5 FIRE FIGHTING MEASURES

Specific hazards Exposure to fire may cause containers to rupture/explode.
Non flammable
Hazardous combustion products If involved in a fire the following toxic and/or corrosive fumes may be produced by thermal decomposition:
Carbonyl fluoride
Carbon monoxide
Phosgene
Hydrogen chloride
Hydrogen fluoride
Suitable extinguishing media All known extinguishants can be used.
Specific methods If possible, stop flow of product.
Move away from the container and cool with water from a protected position.
Special protective equipment for fire fighters Use self-contained breathing apparatus and chemically protective clothing.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions Evacuate area.
Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
Ensure adequate air ventilation.
Environmental precautions Try to stop release.
Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
Clean up methods Ventilate area.

7 HANDLING AND STORAGE

Handling and storage Suck back of water into the container must be prevented.
Do not allow backfeed into the container.
Use only properly specified equipment which is suitable for this product, its supply pressure and temperature.
Contact your
gas supplier if in doubt.
Refer to supplier's container handling instructions.
Keep container below 50°C in a well ventilated place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit value for country UK: LTEL: 1000ppm (EH 40/2000)
Personal protection Ensure adequate ventilation.
Do not smoke while handling product.

9 PHYSICAL AND CHEMICAL PROPERTIES

Molecular weight 86.5
Melting point -157 °C
Boiling point -40.9 °C
Critical temperature 96.2 °C
Relative density, gas 3 (air=1)
Relative density, liquid 1.2 (water=1)
Vapour Pressure 20°C 9.1 bar
Solubility mg/l water 3628 mg/l
Appearance/Colour Colourless gas
Odour Ethereal
Poor warning properties at low concentrations.
Other data Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

10 STABILITY AND REACTIVITY

Stability and reactivity Stable under normal conditions.
Thermal decomposition yields toxic products which can be corrosive in the presence of moisture.

11 TOXICOLOGICAL INFORMATION

General May produce irregular heart beat and nervous symptoms.

12 ECOLOGICAL INFORMATION

General Covered by the 'Montreal Protocol'.
May have damaging effect on ozone layer.
When discharged in large quantities may contribute to the greenhouse effect.
Ozone depletion factor 0.055 (R11=1)
Global warming factor 0.098 (R11=1)

13 DISPOSAL CONSIDERATIONS

General Must not be discharged to atmosphere.
Do not discharge into any place where its accumulation could be dangerous.
Refer to supplier's waste gas recovery programme.
Contact supplier if guidance is required.

14 TRANSPORT INFORMATION

UN Nr 1018

Class/Div 2.2

ADR/RID Item Nr 2,2° A

ADR/RID Hazard Nr 20

Labelling ADR Label 2: non flammable non toxic gas

Other transport information Avoid transport on vehicles where the load space is not separated from the driver's compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

Before transporting product containers ensure that they are firmly secured and:

- cylinder valve is closed and not leaking
- valve outlet cap nut or plug (where provided) is correctly fitted
- valve protection device (where provided) is correctly fitted
- there is adequate ventilation.
- compliance with applicable regulations.

15 REGULATORY INFORMATION

Number in Annex I of Dir 67/548 Not included in Annex I.

EC Classification R59

-Symbols No symbol required.

Labelling of cylinders

-Symbols Label 2: non flammable non toxic gas

-Risk phrases R59 Dangerous for the ozone layer

16 OTHER INFORMATION

Ensure all national/local regulations are observed.

Asphyxiant in high concentrations.

Keep container in well ventilated place.

Do not breathe the gas.

Contact with liquid may cause cold burns/frost bite.

The hazard of asphyxiation is often overlooked and must be stressed during operator training.

Users of breathing apparatus must be trained.

Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.